Edits to Zoning Code 3.0

The following edits will be incorporated into the final draft of the Zoning Code for adoption on September 18, 2019. The edits are listed by Article and Section number in the order they appear in the Zoning Code. Substantive changes are shown in bold, underlined text. Minor edits are not bolded.

Throughout			
Replace all 'I	Day Care' and 'Day-Care' with 'Daycare	e'	
All reference	es to the sub-districts in CAD (RCA, BCF	R & BV) to include CAD- i.e. "CAD- RCA, CAD-BCR, CAD-BV"	
Remove all r	references to 'morals'		
Replace all 'I	Drive through' and 'Drive-thru' with 'D	rive-through'	
Page #	Code Section	Change Description	Change Type
TABLE OF CO	DNTENTS		
_	_	155-6.8 <u>City Avenue District -</u> Bala Village (CAD -BV)	Туро
_	_	Article 10: Supplemental Use Regulations and & Nonconformities	Туро
_	_	155-10.2 Alternative Housing Options For The for the Elderly	Туро
_	_	155-10.4 Conversion Of of Building To to Adult Daycare	Туро
_	_	155-10.8 Conversion Of of Building to Emergency Mandated Service	Туро
TABLES & FIG	GURES		
_	_	Table 9.2 General Sign Type Standards and & Regulations	Туро
ARTICLE 1: IN	NTRODUCTION		
		Institutional Natural and Open Space Preserve (IN): IN is intended to collectively define sites	
11	1.1.5.g.i.	and buildings for three types of Uses: including but not limited to cemeteries, and	
		environmental and open space preserves, golf clubs, and residential religious.	
ARTICLE 2: D	DEFINITIONS		
		Block: A unit of land bounded by streets or combination of streets, railroad right-of-way,	PC Rec.
17	_	waterway, or any other barrier to the continuity of development. An area defined as both	
		sides of an uninterrupted road segment between two intersections.	
Addition		<u>Craft Production: The manufacturing by hand with or without the aid of tools. Crafting may</u>	PC Rec.
7 (ddicion		include model making, rug weaving, furniture making and similar small crafts.	
		Director of Building and Planning: A Township of Lower Merion official, formerly known as	
22	_	the "Director of Building Regulations," whose duties include, as Zoning Officer, the	
		administration of this chapter.	
30	_	The terms between "Inflatable Sign" and "Land Development" will be re-ordered in	
		alphabetical order.	

Page #	Code Section	Change Description	Change Type
30	_	Institutional Housing: Collectively includes sites or buildings operated for the provision of housing and health <u>and long-term</u> care <u>services</u> for the elderly <u>and people with disabilities</u> .	Consistency
30	_	Institutional Natural Preserve: Collectively includes sites and buildings operated for three types of uses; including, but not limited to cemeteries, golf clubs and environmental and open space preserves, golf clubs and residential religious.	Consistency
39	_	Residential Religious: A <u>structure building or site</u> containing <u>a living arrangements</u> owned or leased by a religious institution and operated as <u>an integral</u> part of that religious institution for the use of its members.	Clarification
46		Transit Facility: A facility providing accommodations for a transportation system, including: bus terminal, and railroad station, and freight terminal.	
47	_	Viable Tree: A tree capable of surviving and germinating and having a reasonable chance of succeeding.	
ARTICLE 3: 0	GENERAL TO DISTRICTS		
51	3.3.1.h	Remove number without text.	Туро
52	3.4.7.a	For buildings less than three stories, the distance between two or more <u>principal</u> buildings on the same lot shall be a minimum of 20 feet or no less than the height of the taller building, whichever is greater.	Clarification
63	3.7.3.e	Wood frontage fences shall have slats between 3.5 inches and 5.5 inches, with a minimum spacing of 2.5 inches and a maximum of 5.5 inches. (PC Recommends modifying the width between the slats. Revised language may be considered in the future.)	PC Rec.
64	TABLE 3.7.1 FENCE HEIGHT	Change the maximum fence height in the Frontage from 5 ft. to 4 ft.	PC Rec.
65	TABLE 3.7.2 FENCE TYPE BY DISTRICT	Remove reference to SDs- "MC & BMMD", "BMV", "RHR & CAD"	Туро
70	3.11.4	Lighting sources for parking garage roof top decks shall be shielded to protect adjacent streets and properties from light glare. Interior light sources within footprints along the perimeter of garages shall not be visible from surrounding streets and properties.	Туро
ARTICLE 4: [DISTRICT SPECIFIC STANDARDS		
80	TABLE 4.1.3 LDR3 DIMENSIONAL STANDARDS	Remove "Primary Frontage: none" since there is no requirement	Туро
84	4.2.3.b.i. 4.2.3.b.i.(1) 4.2.3.b.i.(2)	Remove duplicate language- provided for in 155-3.3.1.g. (pg. 51) which applies to all districts.	Туро

Page #	Code Section	Change Description	Change Type
91	FIGURE 4.2.3 MDR3 FORM ILLUSTRATION	Illustration to be modified to reflect proposed standards.	
92	4.3.2.c.	Building Frontage shall be according to "Table 4.3 Commercial Center Form Standards". When parking is at the rear of the lot, pedestrian access to parking shall be spaced at a maximum 300 feet apart. (Relocate removed text)	Relocated Text
92	4.3.2.d.iv-v	 4.3.2.d.iv. When parking is at the rear of the lot, pedestrian access to parking shall be spaced at a maximum 300 feet apart. 4.3.2.ivv.Exceptions include: 4.3.2.d.ivv.1). Where a courtyard or garden may be accessed from the street. 4.3.2.d.ivv.2). Access to parking according to section 8.6.4.d. 	Relocated Text
93	4.3.7.b.iii.	Remove number without text.	Туро
100	4.4.2.a	Institutional Natural Preserve (IN) is intended to collectively define sites and buildings operated by the private or public sectors for two types of Uses: including but not limited to cemeteries, and environmental and open space preserves, golf clubs, and residential religious.	Clarification
100	4.4.2.b.	Institutional Civic (IC) is intended to collectively define community benefit communally beneficial land uses, including but not limited to organizations dedicated to the arts and culture, social and religious use, senior housing, wellness and recreation.	Consistency
100	4.4.2.c.	Institutional Education (IE) is intended to collectively define sites or buildings operated by the private or public sectors for the provision of full-time or part-time educational services for students of all ages.	Clarification
100	4.4.2.d.	Institutional Housing (IH) is intended to collectively define sites or buildings operated by the private or public sectors for the provision of housing and health and long_term care for the elderly and people with disabilities.	Clarification
100	4.4.3.d.	Under the following circumstances an Institutional District property may exceed these requirements provided a Campus Plan in accordance with Chapter 135-is approved by the Board of Commissioners: shall be required:	Clarification
100	4.4.3.d.i.	An applicant seeks to exceed the allowable base The total impervious surface on a lot may exceed the allowable impervious surface shown as set forth on Table 4.4 "Institution Form Standards" by up to a maximum of 5%. The additional impervious surface may only be achieved through the submission and approval of a Campus Plan.	

Page #	Code Section	Change Description	Change Type
		An applicant seeks to expand the impervious surface on a A lot legally in existence on July	
100		31, 2019, which became nonconforming to such impervious surface provisions may	
	4.4.3.d.ii.	expand the impervious surface on such lot by up to 5%. The additional impervious surface	
		may only be used once and is achieved through the submission and approval of a Campus	
		Plan. Public schools are not subject to a Campus Plan, and therefore are not eligible for this provision.	
		Removed language to be included in SALDO: Impervious Surface may be modified up to	
		the limits in "Table 4.4 Institution Form Standards" by process of Campus Plan on	
101	4.4.4.a.i.	properties within the Institutional District , where one or more of the following public	
101	7.7.7.4.1.	benefits are provided by a recorded covenant or Deed of Easement: public access to	
		recreational facilities and public walking trails; historic resource, open space and scenic	
		view shed designation.	
102	4.4.6.c.iii.(3)	Remove reference to SD- "Special Districts Regulated by Article 6"	Туро
107	TABLE 4.4.3 INSTITUTION EDUCATION	Note 2 shall be revised so that the Board may consider a range between 5% and 15% for an	
107	(IE)	impervious surface increase achieved through a campus plan.	
	TABLE 4.4.3 INSTITUTION EDUCATION	Maximum 5 stories where setbacks are increased by an additional 50 ft. for each story	Туро
107	(IE)	above 3 stories. Buildings may be 5 stories or 5265 ft. in height without an increased	
		setback along the primary road.	
	TABLE 4.4.3.A INSTITUTION	Maximum 5 stories where setbacks are increased by an additional 50 ft. for each story	Туро
107	EDUCATION (IE) - PUBLIC SCHOOLS	above 3 stories. Buildings may be 45 stories or 5265 ft. in height without an increased	
		setback along the primary road.	
ARTICLE 5: U			T
116	5.1.6.b.	Remove crossed out text.	Туро
120	TABLE 5.1 USES	Include rowhouse as a 'R' regulated use in CAD	Туро
120	TABLE 5.1 USES	Remove Alternative Housing for the Elderly as a 'R' regulated use in CAD	Туро
122	TABLE 5.2	Add Residential Religious as a permitted use 'P' in the IN District.	
122	USES FOR INSTITUTIONS		
124	TABLE 5.3	Remove reference to 'Skilled Nursing Facility'. This use was recommended to be removed as	
127	USE REGULATIONS	an incentive use (see Article 7 below); therefore, this regulation is unnecessary.	
129	TABLE 5.3	Remove Environmental use regulations this is duplicate text to page 128.	Туро
	USE REGULATIONS		
133	TABLE 5.3	Remove 'Marijuana Processing Center', regulations provided for in below 'General	Туро
100	USE REGULATIONS	Industrial'	
134	TABLE 5.3	Remove regulation for Hospital Use in the MC District. It is a permitted use without	
194	USE REGULATIONS	regulation.	

Page #	Code Section	Change Description	Change Type
135	TABLE 5.3 USE REGULATIONS	Add: Food & Beverage- Regulated- Excludes a drive-through facility.	
136	TABLE 5.3 USE REGULATIONS	Skilled Nursing Facility: This use was recommended to be removed as an incentive use (see Article 7 below); therefore, this regulation is unnecessary: In a Class I Historic Resource, shall only be authorized as a Conditional Use, subject to the requirements of "7.1.3 Permitted Uses for Class I Historic Resources"	
139	TABLE 5.3 USE REGULATIONS	Add: Religious – Special Exception – Shall only be authorized as a special exception per Article 11.	
ARTICI F 6: 9	 Special districts		
145	6.1.3.d.ii	Chimneys, enclosed stairwells, roofed and unenclosed roof terraces and roof trellises, and uninhabitable ornamental building features, may be allowed to exceed maximum building height up to an additional ten-twelve feet, and occupy a maximum 20 percent of roof area.	
157	TABLE 6.2 BMMD BRYN MAWR MEDICAL DISTRICT	Note #5 - Change the reference from 5 to 4.	Туро
163	6.4	Remove reference to SD4.	Туро
170	6.4.8.b.vii.	6.4.8.b.vii.(4) through 6.4.8.b.vii.(7) should be indented.	Туро
192	TABLE 6.7.1 CAD-BCR HEIGHT STANDARDS	Adjust map to grey-out areas located outside of the BCR.	Clarification
193	TABLE 6.7.2 - BALA CYNWYD RETAIL DISTRICT (CAD-BCR)	Update table to include Frontage Yard Types and Façade Types to be consistent with RCA. (Frontage Yard Types: Shallow Yard, Urban Yard, Pedestrian Forecourt, Vehicular Forecourt = Permitted; Façade Types: Stoop, Arcade/Colonnade, Gallery & Storefront = Permitted)	
ARTICLE 7: 0	CONSERVATION & PRESERVATION OVERLAYS		
208	7.1.2.h.	Remove duplicate text as 7.1.2.g.	Туро
209	7.1.7	Additional requirements for Class I and or Class II Historic Resource	Туро
209	7.1.7.a.iv	Remove language- duplicate to 11.1.8.n	Туро
209	7.1.8.a	The impervious surface and or setback standards in the underlying zoning district may be modified by up to 15% for properties containing Class I and Class II Historic Resources, subject to:	Туро
211	TABLE 7.1.1 HISTORIC RESOURCE USES	Remove 'Skilled Nursing Facility' as an incentive use.	
215	TABLE 7.1.2 HISTORIC RESOURCE USE REGULATIONS	Repair Services: Permitted hours of operation are between 78:00 a.m. and 98:00 p.m.	

Page #	Code Section	Change Description	Change Type
216	TABLE 7.1.2 HISTORIC RESOURCE USE REGUALTIONS	Remove all references to 'Skilled Nursing Facility' and associated regulations.	
288	7.4.4	This section was moved to Article 1.1.10 (pg. 12). It was erroneously located in in this section.	
ARTICLE 8: P	PARKING STANDARDS		
241	8.4.1.d.iv	Change reference to SD to "Special Districts"	Туро
235	TABLE 8.1 MINIMUM PARKING REQUIREMENTS	Public School- Change "See Note (<u>42</u>)"	
243	8.6.1.c.iii.	Remove duplicate numbering.	Туро
245	8.7.3.a.	A minimum of aAt least 200 linear feet shall be provided as of-storage area for vehicles awaiting service shall be provided for drive-in facilities and uses. The required 200 feet may be provided in one or more usable lanes and shall be Said 200 linear feet of driveway, in one or more usable lanes, shall be measured from the right-of-way line of the street to the window or other place in the building where the vehicle must enter or pass for service. The storage areas shall be so-designed so that vehicles awaiting service will not back out into the street. (Taken directly from 155 98);	Clarification
ARTICLE 9: S	SIGN STANDARDS		
265	TABLE 9.2 Q. A-FRAME SIDEWALK (TEMPORARY)	Height: 3.5 in. ft. min.	Туро
271	9.8.3.	Adjust numbering	Туро
ARTICLE 10:	SUPPLEMENTAL USE REGULATIONS & NON	CONFORMITIES	
273	_	Article 10: Supplemental Use Regulations $\frac{1}{2}$ Nonconformities	Туро
274	10.1.1	Home occupations are permitted as an accessory use to any residential dwelling.	
274	10.1.1.b.	10.1.2.a. Home occupations (minor and non-traffic) in LDR and MDR1 zoning districts are permitted in LDR and MDR1 zoning districts or any residential dwelling unit, subject to the following additional restrictions:	
275	10.2.1.c	Provide for the special housing needs of persons <u>5562</u> years of age or older who might not otherwise be able to acquire adequate housing in the community.	

Page #	Code Section	Change Description	Change Type
276	10.3.1.b	Shared residences for the elderly and disabled shall be sponsored by a community-based nonprofit organization, a purpose of which is to provide housing for the elderly and to assume responsibility for overseeing the care and welfare of the residents thereof. Such organizations shall have a designated agent resident or unit offices in the Township-offices in Pennsylvania.	Clarification
277	10.3.1.h (addition)	Subject to the separation requirements of 11.2.5.f.iii.	
ARTICLE 11:	PROCESS & PROCEDURES		
293	11.1.5.D.XI	A retaining wall outside not within the floodplain exceeding four feet above grade.	
293	11.1.5.D.XII	A fence <u>outside</u> <u>not within</u> the floodplain exceeding four feet and located in the required front yard setback.	
294	11.1.7.C	Sepearation Requirements. Sepearation requirements shall apply to the following residential uses; Alternative housing options for the elderly; Convent, monastery or similar residential religious facility; Student Home. No more than one such use shall be permitted	Туро
307	11.2.5.F.III	Sepearation Requirements. Sepearation requirements shall apply to the following residential uses; Alternative housing options for the elderly; Convent, monastery or similar residential religious facility; Student Home, and Shared Residences for the Elderly or Disabled. No more than one such use shall be permitted:	
315	11.3.5.C	Standards to be removed. Regulated by 155-11.3	
315	11.3.5.D	Standards to be removed. Regulated by 155-11.3	
UNRESOLVE	D ISSUES		<u>'</u>
227	7.4.2.c.	For development of rowhouses, multifamily buildings and <u>non-residential development</u> , the following conditions apply Should this provision apply to non-residential development? This may be considered as a future amendment.	
217	7.2.3.c.iv	Class I and Class II Historic Resources. The footprint of these resources may count towards a maximum of 20% of the required preservation area, subject to such requirements as the Township shall determine necessary to preserve and maintain the historic resource, including the exemption of the area occupied by the historic resource from the common access requirements of this article. This provision shall not be applicable when the resource is used as a residential dwelling.	PC Rec.